



PRODUCT SPECIFICATION DATA SHEET

UNIPHOS FUMISENSE PRO MBr-Hi

METHYL BROMIDE GAS MONITOR



GAS RELATED SPECIFICATIONS	
Gas Detected	Methyl Bromide (MBr)
Concentration Range	0 – 200 mg/L.
Resolution	1 mg/L
Detection Principle	Non-Dispersive Infrared
Accuracy	Inherently +/- 2% (but also depends on the accuracy of the calibration gas & method)
Sampling	Internal Sample Draw Diaphragm Pump 300-500 ml/min

DISPLAY & INDICATOR SPECIFICATIONS	
Display	Backlit 20 X 4 Alphanumeric OLED Display LEDs indicate status of power & sampling
Function Keys	For Increment, Decrement and Setting
Electronic Alarm	85db Audio Alarm, Visual LEDs

ELECTRONICS AND ELECTRICAL SPECIFICATIONS		
Electronics	Microprocessor based instrument	
Connectivity	Mini USB for PC connectivity	
Data Logging	Data logging facility for up to 3000 samples Data logging with user settable features Records gas readings along with time/date	
Power Source	7.4 V Li-lon rechargeable battery pack	

PHYSICAL SPECIFICATIONS	
Operating Temperature Range	0 to 40 Degree Celsius
Operating Pressure	Ambient +/- 10%
Enclosure	Hi Impact ABS Plastic Enclosure
Weight	500 grams (1.10 lb.)
Dimensions	H x W x D: 205 x 108 x 38 mm
Standard Accessories	Sampling Probe with dust filter. Data USB cable